

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170731-R26797  
**Report Reference** R26797-20170727  
**Issue Date** 2017-JULY-31

**Issued to:** SALTO SYSTEMS S L  
POL. LANBARREN. ARKOTZ 9  
20180 OIARTZUN SPAIN

**This is to certify that  
representative samples of**

**ELECTRICALLY CONTROLLED SINGLE-POINT LOCKS  
AND LATCHES**

Model No. Salto LA1T Series Mortise electrically controlled single point lock with an AFi Series Reader Assembly. These lock sets may be provided with a 3/4 in. (19 mm) latchbolt and a 2 3/8 in. (60 mm) or 2-3/4 in. (70 mm) backset. For use on wood doors rated 20 minutes, no hose.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** ANSI/UL 10C - Positive Pressure of Fire Tests of Door Assemblies

ANSI/UL 10B - Fire Tests of Door Assemblies

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

